

**TOP SECRET**

**TRAINING MODULE #1.4-Z  
ECHO BRAVO FOXTROT**

JCOLCA HOTTAP OUTING  
HOT SHOWER SYSTEM







# “Did you say *camping*!?”



We all know that there usually is someone in the family who doesn't think the great outdoors are all that great. This is the same someone who stops you from selling a lot more of everything you've got in store.

So, the question is: how do you turn reluctant spouses into **happy campers**?





# “Gibson Desert? I hear it’s lovely this time of the year. And for a whole month!?”

The key to keeping everyone happy is comfort. More specifically, you never ever want to hear your Prince or Princess say, “I’d give anything for a hot shower right now!”

What you do want is to give them that hot shower. **Immediately.** And how far has humanity come in regards to portable showers?



# The Evolution of Portable Showers

Since the discovery of fire, mankind has come a long way. We've resorted to the good old bucket. We've hung bags in the trees we just climbed down from. And we've used primitive and weak systems that go through loads of proprietary batteries and gas cylinders quicker than you can say, "It's my turn now!"

But today we know better. Today, we simply flick a switch and shower for as long as we like, no matter where we are.

This is 2019 – and this **HOTTAP Outing**:





# HOTTAP Outting

This is a **complete hot water system** for off-grid use, including the legendary HOTTAP and the rugged 12V FLOTAP6 pump as well as all gas, power and water connections.

HOTTAP is the world's smallest portable water heater in its class. Rugged but lightweight, you can take it anywhere you take an LPG bottle. It accepts **water from any source** and uses standard batteries and fittings that are ridiculously easy to connect.

- Plugs into your standard BBQ gas cylinder
- Instant hot water at the flick of a switch
- Run time of over 15 hours per cylinder
- Puts out a proper jet of hot water; no drizzle
- Pumps water from any source up to 30 metres away





## Sets up in seconds

Connect gas. Connect water in.  
Connect water out. Done.






©Joolca 2018



## Tap into any source of freshwater

The powerful FLOTAP6 pump can suction water up to 1.8m in height and push it up to 30m up a slope – perfect for pumping directly from a creek or lake to your campsite.







©Joolca 2018

**Joolca**



## One touch operation

Whether you use the HOTTAP and FLOTAP6 together or individually, you can turn the entire system on and off using a single switch. You'll have one-touch control of both water flow and heating.





## Total control

Intuitive adjusting of water temperature and flow, with backlit LCD for reference



## Superior heating

HOTTAP's 27,000BTU burner ensures a steaming shower at the flick of a switch – even in winter.



## Safe for families and pets

An automatic cut-off prevents the water temperature from going above +50°C, protecting against scalds.





# 6L/min

## Superior Output

Since the fierce competition boasts flowrates of up to 3L/min, Joolca were forced to give HOTTAP special powers.





~~~~~

# HOTTAP Showdown

©Joolca 2018



Joolca  
HOTTAP OUTING



Companion AquaCube  
Logic Lithium



Companion AquaCube RV  
Digital Water Heater



Coleman HWOD  
H2Oasis

|                          |                                                                                                                 |                                                                    |                                                                                                                                                                                     |                                                                                                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Max. Flow                | 6 LPM                                                                                                           | 2 LPM                                                              | 3 LPM                                                                                                                                                                               | 2.3 LPM                                                                                                                                                                             |
| Shower Hose Length       | 5 m                                                                                                             | 2.5 m                                                              | 2.5 m                                                                                                                                                                               | 1.8 m                                                                                                                                                                               |
| Total Gas Output         | 27,500 BTU                                                                                                      | 19,100 BTU                                                         | 19,100 BTU                                                                                                                                                                          | 20,000 BTU                                                                                                                                                                          |
| Weight                   | 6.4 kg                                                                                                          | 7.95 kg                                                            | 6.53 kg                                                                                                                                                                             | 8.5 kg                                                                                                                                                                              |
| Automatic Ignition: Unit | <b>Yes</b><br>* Automatically ignites with flow of water and automatically turns off when water flow is stopped | <b>No</b><br>* HWOD must be switched on and off manually           | <b>Yes</b><br>* Automatically ignites with flow of water and automatically turns off when water flow is stopped                                                                     | <b>No</b><br>* HWOD must be switched on and off manually                                                                                                                            |
| Automatic Ignition: Pump | <b>Yes</b><br>* Pressure pump automatically turns on and off as tap is opened or closed                         | <b>No</b><br>* Pump must be switched on and off manually at unit   | <b>No</b><br>* Pump must be switched on and off manually at unit                                                                                                                    | <b>No</b><br>* Pump must be switched on and off manually at unit                                                                                                                    |
| Multiple Water Source    | <b>Yes</b><br>* Mains, header tank, pump                                                                        | <b>No</b><br>* Must use included submersible pump with clean water | <b>No</b><br>* Must use included submersible pump with clean water<br><br><b>Yes</b><br>* Limited to included pump or mains at specific flow – too high and could burst off fitting | <b>No</b><br>* Must use included submersible pump with clean water<br><br><b>Yes</b><br>* Limited to included pump or mains at specific flow – too high and could burst off fitting |
| Long Distance Pumping    | <b>Yes</b><br>* Tested to 20 m at small incline                                                                 | <b>No</b><br>* Limited by pump hose length (1.5 m)                 | <b>No</b><br>* Limited by pump hose length (2 m)                                                                                                                                    | <b>No</b><br>* Limited by pump hose length                                                                                                                                          |
| Water Filter Included    | <b>Yes</b>                                                                                                      | <b>No</b>                                                          | <b>No</b>                                                                                                                                                                           | <b>No</b>                                                                                                                                                                           |
| Mountable                | <b>Yes</b>                                                                                                      | <b>No</b>                                                          | <b>Yes</b>                                                                                                                                                                          | <b>No</b>                                                                                                                                                                           |



# Tested to last for 41 years

HOTTAP has done away with delicate technology,  
and the only moving part has been tested to 15,000  
cycles – some 41 years of daily showers.

©Joolca 2018








**Class-leading compact design**



**Standard D-cell batteries provide power for months**



**Automatic safety shutdown at +50°C**



**Powerful 27,000BTU burner**



**15 hours' usage from 9kg LPG tank**



**Water flow up to 6L/min**



**Rugged design built for the bush**




**5m shower hose**




**Runs dry without causing damage**



**FLOTAP6 pump self-priming to 1.8m**



**FLOTAP6 pumps 30m**



**FLOTAP6 includes 12V leads and filter**



# Quiz

1. For how long do people generally like to shower?

- A. Two minutes sharp
- B. Until the proprietary little gas cylinder is kaput
- C. "Just a little while longer"

2. If Bob is in the shower for 2 minutes and 7 seconds, he uses 4.3 L of water. Then the 486g proprietary gas cylinder runs out. What does Bob have?

- A. A long way to the nearest specialty store
- B. Not a HOTTAP Outing
- C. A fungal infection
- D. All of the above

3. Connect the right customer to the right product:





# YOUR DRILL SERGEANT WILL NOW TAKE YOUR ORDERS

Those of who you scored 100%\* on the quiz may now order hottap outing at a **50% Anaconda Academy graduate discount**. Contact Joolca HQ on 1300 669 500 and you will be provided with your personal call sign for online orders.

This initiative comes directly from central command. Because once you've seen action in the field, you'll be much better placed to instruct any walk-in customer who looks like they could use a shower.

\* Anyone who fell short of the stringent academy standard is to return to the start of training module #1.4-Z without passing go.





# Joolca<sup>®</sup>

Joolca Pty Limited  
17 Charles Street,  
Coburg North, VIC, 3058  
1300 669 500 (AU)  
(09) 887 9334 (NZ)  
[joolca.com.au](http://joolca.com.au)

